


ZAŠTITA OD BOLESTI



FUNGICHEL

Za preventivno suzbijanje plamenjače (*Phytophthora infestans*) i koncentrične pjegavosti (*Alternaria solani*) u vrijeme kada su uvjeti za pojavu bolesti povoljni, u količini 1,5 l/ha, svakih 15-20 dana.



tel: 01 2059-496, 2058-174 fax: 01 2059 497 e-mail: agromais1@zg.t-com.hr
OVAJ LETAK JE INFORMATIVNOG KARAKTERA, ZA DETALJNIJE INFORMACIJE NAZVATI 01/2059-496

KRUMPIR

PRIHRANA BIOSTIMULATORIMA

SADNJA	VEGETATIVNI PORAST	CVATNJA POČETAK RAZVOJA GOMOLJA	NALIJEVANJE GOMOLJA
 <p>Nakon sadnje folijarno: STIMCAP 2,0 l/ha + CITOQUIN MIX 1,5 l/ha</p> <p>Nakon 10-15 dana folijarno: STIMCAP 2,0 l/ha + CITOQUIN MIX 1,5 l/ha + GROWCAP 3,0-4,0 l/ha</p>	 <p>Folijarno CITOQUIN MIX 2,0 l/ha + GROWCAP 3,0-4,0 l/ha</p>	 <p>Folijarno DELTAQUIN 2,0 l/ha + ENERMAX 0,5 kg/ha + ACTIV Ca 3,0 l/ha</p>	 <p>Folijarno CITOQUIN MIX 2,0 l/ha + DELTAQUIN 2,0 l/ha</p>

